

2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants

National Pest Management Association, Inc.

Pest Management Standards for Food Plants

National Pest Management Association, Inc.
9300 Lee Highway, Suite 301
Fairfax, VA 22031

Phone: 703-352-6762

2007 National Pest Management Association, Inc. Pest Management Standards for Food Plants

Introduction

These standards were developed to provide minimum operational criteria for servicing food plants. Food manufacturers, third party auditors, and pest management firms asked for these standards to be developed to provide consistency in service for this important segment of our industry.

Development of these standards was done carefully and deliberately to provide tools for consistent service, while at the same time, being very cautious not to interfere with individual company protocols. These standards DO NOT include fumigation services.

These standards also DO NOT preempt local, state, provincial, and/or federal regulations. Any service provided must comply with government regulations or statutes governing pest management, safety, and food protection. In addition, food plants may have requirements more stringent than these standards.

These standards help secure the pest management industry's role in food protection.

Don McCarthy, Chair
NPMA Commercial Division Committee

Greg Baumann, Vice President
Technical Services, NPMA

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

NPMA Commercial Division Steering Committee

Don McCarthy, Braemar Pest Management Services, NS, Canada, Chair
Greg Baumann, National Pest Management Association, Staff Liaison

Pat Hottel, McCloud Services, IL
Brad Henry, Industrial Fumigant, KS
Ward Combs, Presto-X, NE
Douglas Gardner, Ecolab Pest Elimination, MN
Billy Blasingame, Arrow Exterminators, GA
Eric Eicher, The Steritech Group, Inc., MD
Robert Baker, Clark Pest Control, CA
Debbie Hoffman, Crane Pest Control, CA
Charles Dixon, Dixon Exterminating, GA
Mark O'Hara, Anderson Pest Control, IL
Jerry Batzner, Batzner Pest Management, WI
Rich Muscarella, Ashland Pest Control, NY
Freeman Elliott, Orkin Pest Control, GA
Bob Kunst, Fischer Environmental, LA

Correspondents:

Joe Hope, Bayer, NC
Randy Moser, Syngenta, NC (retired)
David Broadwell, RK Environmental, NJ
Shep Sheperdigian, Rose Pest Solutions, MI

Third Party Auditors and Others Participants:

Al St. Cyr, American Institute of Baking
Bill Schwartz, NSF-Cook and Thurber
Rena Pierami, Silliker
Tom Huger, ASI Food Safety Consultants
Bill Miller, YUM (Taco Bell, KFC, Pizza Hut, A&W, Long John Silver's)
Dan Carlin, International Association of Operative Millers

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Definitions

For definition purposes,

“Company” means the pest management firm

“Contact” means the food plant contact person

“Employee” means pest management firm employee

“Good Manufacturing Practices” means the FDA’s Current Good Manufacturing Practices or equivalent outside of the US.

“Plant” means a food manufacturing facility including associated warehousing and does not include restaurants or other food service facilities

“Rodent bait station” means any station used for placement of solid rodenticide bait

“Technician” means the pest management firm employee providing service

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Standard Section: Personnel—Title: Employee Identification—Standard Number: 1.1
Reasoning

This section sets forth minimum standards for employee identification so that the plant has a clear understanding of which personnel are from the pest management firm so that plant food safety and security are maintained.

Standard

All employees entering grounds of a food plant shall wear photo identification with:

- employee name
- employee identification number (if issued by the company)
- company name
- company phone number
- employee photo
- date of issue

The identification shall be worn at all times while the employee is on site unless plant personnel practices set by the customer prohibit such badges. In addition, plants may require other identification and badges such as visitor badges and the employee must comply at all times with the visitor/contractor policies of the plant.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Standard Section: Personnel—Title: Uniforms—Standard Number: 1.2

Reasoning

Uniforms are an important part of the plant safety and standards program. Criteria set are designed to comply with the majority of food plant requirements for uniforms.

Standard

All employees who perform service work in food plants shall wear uniforms meeting the plant's current requirements and at least the following criteria:

Slip Resistant Sole Shoes (steel tips if required by plant)

Socks

Long Pants

Shirt with sleeves (short or long) with company logo or name

Bump cap if required by the plant

Coveralls available on the service vehicle

Change of clothes available on the service vehicle

Uniform closures shall be in compliance with plant requirements.

A clean set of clothing shall be used in plants if the previous account visited has exposed the clothing to contaminants. These contaminants include but are not limited to chemical, microbiological, or allergens such as peanut products.

More stringent requirements may be in place for individual plants *in addition to these standards* and service personnel must comply with those standards as well.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

**Standard Section: Personnel—Title: Security and Criminal Background Checks—
Standard Number: 1.3**

Reasoning

Security is a major concern at all food plants. This section is designed to ensure that personnel in food plants have had proper checks and that they comply with plant rules.

Standard

Any newly hired employee, including management, entering a food plant shall have a criminal background check performed covering the previous five years from date of hire. The checks shall be part of the records of the company and shall include all states or provinces in which the employee has lived and/or worked during the previous five years. Resulting action as a result of the check will be at the discretion of the company management. Some food plants may have specific requirements and companies must comply with these requirements in addition to the above.

Some plants may also have requirements as far as when the employee is permitted onsite and escort policy. Companies should understand and comply with all plant policies and provide a written procedure to employees with a copy in the plant as to:

Whether advanced notice must be given prior to arrival onsite

Parking and vehicle use

Substitute employees (technicians taking place of previous technicians may have to be on a roster provided to the plant)

Sign in policies

Hours of operation when employees may have access

Visitor badge policies

Escort policies

Restricted areas

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

**Standard Section: Personnel—Title: Customer Personnel Practices—
Standard Number: 1.4**

Reasoning

It is imperative that all employees entering a food plant property understand and comply with the plant personnel practices. Besides being required by law, compliance is important as a part of food safety and also plant personnel morale.

Standard

All employees entering a food plant property must have reviewed and signed off on the standards of the plant in terms of personnel practices as outlined by the plant. Frequently, plants will prepare standards for contractors and the employee will sign off that they will comply. If a special set of standards is in place for plant contractors, then the employee must comply with the standards. If any questions or conflicts arise, the employee must either notify their supervisor or the plant contact person.

A copy of the signed document shall be maintained in the plant files.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Standard Section: Personnel—Title: Vehicles—Standard Number: 1.5

Reasoning

Plants have very specific requirements for vehicles both in terms of operations and in terms of security. This section sets the minimum for vehicle standards.

Standard

All vehicles used for service must:

Be clearly marked with company name

Be properly licensed

Have a current inspection if required by the state.

Have adequate insurance of at least \$1 million aggregate bodily injury and property damage; if plant requires more, then the plant requirement must be met

Be parked in properly assigned area

Contain materials and equipment secured when unattended to restrict access.

Drivers:

A five year motor vehicle background check must be completed for all new company employees who will drive on plant property

All drivers must have viewed the NPMA Safe Driving Video or participate in an insurance industry approved program annually and the company must retain safe driving training records as required by the insurance company.

In addition, the vehicle must include at least the following equipment:

First aid kit

Spill control to cover all products on the vehicle

Current labels and Material Safety Data Sheets

Vehicle list (continued):

Service Kit (carrying kit for small quantities of products and equipment)

Change of clothing

Coveralls

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Bump cap if required by the plant.

Other equipment required by plant or label

At no time should loading docks, plant employee entrances, or sidings be blocked unless approved by plant management.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Standard Section: Personnel—Title: Safety—Standard Number: 1.6

Background:

Safety is a vital part of any pest management program. The pest management company and the food plant both must maintain safe working environments.

Beyond just minimal regulatory requirements, policies must be in place to ensure a safe work environment.

Standard

Each company must have a Safety Plan and must document training of all employees working in food plants. Each company must also provide verification that food plant specific safety training has been completed. Safety plans must include but are not limited to:

If a product is used requiring use of a respirator, then respirator training must be completed including the use of the NPMA Respiratory Safety Video or equivalent. The video is available from that National Pest Management Association. For contact information, visit www.pestworld.org.

Pesticide safety including the proper understanding of all labels of products to be used in the food plant, proper use, and disposal of products and containers

Proper storage of products and equipment

Emergency Response in case of spills

Safety of other personnel near pest management activities such as plant employees and consumers

Ladder safety and transportation including tie down

Use of fall prevention

Lock out and tag out systems

Pinch hazards

Crushing hazards

Shoe safety

Personal protective equipment

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Definition of accident

Reporting requirements including use of OSHA 300 (www.dol.gov)

Fumigation plan if fumigation is to be performed (fumigation in general is not covered by these standards)

Restricted areas in plant

Confined space entry requirements

Hazard communication

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Standard Section: Personnel—Title: Minimum Training Standards for Technicians—Standard Number: 1.7

Background

Technicians performing pest management in food plants must be properly trained and verification of training specific to food plants must be shown.

Standard

Any technician performing pest management services in food plants must be trained. Certain proof of training must be available to the food plant contact.

These standards require pesticide enforcement regulatory agency certification or registration and verifiable training specific to food plant pest management including an exam regardless of whether an exam for the state or province has been passed for certification or registration of technicians.

Testing will be conducted via the internet and will be designed by the Commercial Division Committee and will be administered for fee by NPMA. Testing will be done in-house with in-house proctors at the individual pest management companies. Procedures and verification will be the responsibility of NPMA.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Standard Section: Personnel—Title: Compliance with GMPs—Standard Number 1.8

Background

Federal agencies have established regulations to include basic food safety. This requirement is to ensure compliance with US Current Good Manufacturing Practices or equivalent in other countries.

Standard

All pest management programs must comply with Current Good Manufacturing Practices (GMPs). All technicians performing any type of work in food plants must be trained in requirements of GMPs and plant implementation. Also plants may have GMP-related requirements beyond GMPs and technicians must be trained in plant policies as well. Written verification must be on file in the plant and in the company office.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

**Standard Section: Pest Management Plan—Title: Rodent Program-Exterior
Property Survey—Standard Number: 2.1**

Prior to developing a rodent control program, a thorough inspection must be made of the entire property. The property should be inspected and the following observations at a minimum must be identified and documented using a diagram and/or notes:

Areas of rodent infestation based upon sightings, harborages, or other evidence including all areas of the building including roofs

Areas conducive to infestation of the property such as cluttered areas, open trash, standing water, potential or confirmed burrowing areas

Dumpsters which are not on rigid cleanable areas such as concrete pads

Open doors or gaps in building areas which could permit rodent entry

Clutter or debris underneath load levelers

Dock areas that have clutter or debris

Off loading areas with clutter or debris

Tall grass and vegetation on property, sidings, and adjacent to buildings

Perimeter areas of buildings having less than 24" of clearance and areas not having gravel or other material which will reduce chances of rodent activity

Neighboring properties which may have conditions leading to infestation

A summary of infestation observations and potential infestation must be documented and presented to the pest management contact of the plant.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

**Standard Section: Pest Management Plan—Title: Rodent Management Plan-
Interior Survey—Standard Number: 2.2**

All areas of the plant interior shall be surveyed for rodents and conditions which may lead to rodent infestation. These areas shall include but are not limited to:

Pallet storage

Warehouse

Incoming raw materials

Packaging storage

Processing

Finished goods storage

Returned goods area

Waste disposal

Workshop

Sanitation area

Offices areas

Other areas

Any rodent control devices shall be mapped and recorded.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

**Standard Section: Pest Management Plan—Title: Rodent Program-Facility
History—Standard Number: 2.3**

Prior to designing and implementing a rodent control program, a company representative shall interview plant contacts and review all available rodent history information. This will help develop an effective rodent control plan.

In the course of the inspection, maintenance issues such as but not limited to holes in walls, pipe chases, bulk feed lines, spilled food items, or open doors/windows shall be noted. Recommendations shall be made to the plant to reduce chances of future infestation.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Standard Section: Pest Management Plan—Title: Rodent Program-Depth Matrix & Frequency of Service—Standard Number: 2.4

As a result of an initial inspection, examination of history, and discussions with plant personnel, the level of rodent control program area can be developed. This is history versus the sensitivity. If the plant is totally sealed, and there is minimal chance of infestation by rodents, then the sensitivity is reduced. If there is ample raw material exposed, or open doors on the building exterior, then the sensitivity is much higher.

For history, Category 3 is no evidence or history in the building in the past year;

Category 2 is no history in the past six months;

Category 1 is activity or history in the past six months. The following Matrix can determine the level of the control program necessary. The category assignment of 1 is most intense.

RODENT CONTROL EXTERIOR PROGRAM-DEPTH MATRIX

Sensitivity and History: Potential for Infestation (One is most intense, two is medium, and three is least intense)

		Intensity Increases from 3 to 1		
		← History →		
		3	2	1
Sensitivity	↑			
	↓	2	2	1
		1	1	1

The sensitivity score based upon the above criteria must be determined by the pest management company. The history score must also be determined as previously noted. They are then added together to get a matrix score.

FREQUENCY OF SERVICE, EXTERIOR AREAS

For exterior of buildings: If the score is 2, 3, or 4, then the exterior service must be at least every 14 days. If the score is 5 or 6, the exterior service may be monthly. Results of the analysis and conclusions should be reviewed by and accepted by plant contact and may be reviewed and changed as necessary.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Standard Section: Pest Management Plan—Title: Rodent Program—Spacing of Stations—Standard Number: 2.5

SPACING OF STATIONS

Note: any placement should be approved by plant contact to make sure that the program complies with corporate policies

Record of service verification such as stickers, cards, or bar codes shall be on the inside of the station, requiring the station to be opened to record data or to scan.

Proper care must be exercised to comply with the label in terms of access to children or non-target animals. If it is not possible to install stations in secure areas then glue boards or snap traps or other mechanical traps may be used inside of locked and anchored stations.

Monitoring stations may be used at any interval with a non-toxic block.

Exterior Perimeter

Property Perimeter (fence line or outer boundaries)

Based upon history, rodent control equipment, such as but not limited to rodent bait stations or multiple-catch traps, shall be placed along perimeter areas at the rate of:

For Matrix Category 1: Spacing of not more than 50 feet

For Matrix Category 2: Spacing of 50-75 feet

For Matrix Category 3: Spacing of up to 100 feet

Exterior Building Areas (buildings at or near exterior walls of buildings on plant property) Based upon history, rodent bait stations shall be placed along building exterior areas at the rate of:

For Matrix Category 1: Spacing of not more than 25 feet

For Matrix Category 2: Spacing of between 25-50 feet

For Matrix Category 3: Spacing of up to 75 feet

Rodent control devices should be added adjacent to doors, docks, and ramps to the level of Matrix Category 1 at least but may be placed adjacent to any exterior opening per company practices.

In addition, monitoring stations may be used at any interval with a non-toxic block.

2007 National Pest Management Association, Inc. Pest Management Standards for Food Plants

Interior of Plant

The inside of any exterior wall should have multiple-catch traps or glueboards in stations at the rate of one per 20-40 feet. In areas of high traffic, stations should be placed directly against the wall and should be protected or covered if necessary to prevent forklift damage. Interior traps do not have to be anchored. Traps may be placed along interior walls at the discretion of the pest management company. Interior rodent control programs shall be monitored weekly.

Multiple-catch traps may be supplemented at a rate determined by the technician with snap traps in stations or glue boards added into PVC pipes. These traps may be used also on mezzanines where equipment is stored and in areas where using large traps may be cumbersome, such as in areas of heavy activity and dense storage areas. All stations must be recorded and numbered and records must reflect the placement.

Rodenticides shall not be used inside food plants in any area unless approved by the plant contact and permitted by label. Upon such a request, any action and reasoning must be documented and should be temporarily used when there is no exposed food product. Monitoring blocks may be used if permitted by plant contact.

Plants may have an inspection aisle of at least 18 inches along walls. Commonly, this area is painted white in order to contrast with droppings or insects. Traps may be placed along these areas.

Due to concerns about allergens, no peanut butter or nut based attractants may be used inside a plant unless approved by plant contact.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

**Standard Section: Pest Management Plan—Title: Rodent Program-Monitoring—
Standard Number: 2.6**

The Rodent Program shall be maintained at least monthly. Adjustments to the program based upon observations may be made at any time. Use of “temporary” program changes are acceptable. All traps, bait stations, and other devices must be opened and inspected per the matrix. Record of service verification or bar code shall be on the inside of the station requiring the station to be opened. Observations must be recorded as outlined in the Recordkeeping section. At least quarterly, a thorough audit must be conducted to determine the effectiveness of the program and any need to change the program.

Rodents must be disposed of in a sanitary method and must be double bagged when disposing. Rodents, droppings, and any urine deposits or residue must be handled using protective gear per company policy. Respirators may be required in areas of heavy infestation per company policy.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Standard Section: Pest Management Plan—Title: Insect Program—Standard Number: 2.7

Inspection

A thorough inspection shall be conducted of the exterior of the building including raw material receiving, receiving docks, shipping docks, load levelers, waste disposal, entrances, roof areas, exterior storage such as silos, doors and windows, and ventilation intakes to investigate signs of infestation or possible signs of infestation by stored product insects. Raw material, packaging material incoming inspection records and truck inspection records shall also be examined if available.

A thorough inspection of the accessible components of the plant shall be conducted not less than monthly. The areas to be inspected includes but is not limited to floor/wall junctures, drop ceilings, equipment, processing areas, warehousing materials and racking, offices, locker rooms, mezzanines, raw material handling and processing, returned goods areas, sample areas, windows, ventilation, shop areas, packaging storage and equipment, laboratory areas, and cafeteria. See 2.10 for documentation.

In the course of the inspection, maintenance issues such as but not limited to holes in walls, pipe chases, bulk feed lines, spilled food items, or open doors/windows shall be noted. Recommendations shall be made to the plant to reduce chances of future infestation.

Stored Product Insects

Determination of the source of stored product pests must be completed prior to action. Sometimes, a certain lot of raw materials can be isolated as the source. If pests have spread into the plant, control measures must be performed.

Pheromones and pheromone traps may be used as part of the monitoring and control processes.

Non-Stored Product Insects and Occasional Invaders

Determination of source and entry point, real or potential, is necessary in developing a control/management program. Commonly, mechanical alterations on the exterior will be necessary such as filtering incoming air, sealing cracks, repairing door gaskets or self closing doors, etc.

Prevention and Control of Insects

Insects shall be controlled using a product labeled for the site. These products may be residual or non-residual products.

2007 National Pest Management Association, Inc. Pest Management Standards for Food Plants

Non-regulated products (including but not limited to essential oil products, limestone dusts, etc.) may be used according to the instructions and in a crack and crevice or spot method only.

Space treatment may be used to reduce adult populations, using non-residual products. This may also include the use of growth regulators.

General applications may be used only if the use of the product will not contaminate the food product.

Pests may also be controlled by fumigation after coordination with the plant contact. These standards do not address fumigation specifically.

Insect bait stations may be used in areas not prone to heavy traffic or water accumulation.

Treatment of electrical panels and boxes must be done with extreme care per the label and liquids should not be used.

Insect Light Traps and Flying Insect Traps

Insect light traps may be installed to monitor and control certain flying insects. Findings and seasonal requirements will dictate frequency of inspection. Placement must be according to manufacturer's instructions and in compliance with any regulatory policies and guidelines. In absence of instructions, ILTs should be placed more than four feet off of the ground and in an area where plant operations will not interfere with the operation. Any ILT must be plotted on the site layout or map and ILTs must have the same recordkeeping as other types of traps.

Electrocution type traps must be monitored based upon the contract and weekly monitoring is suggested for most cases unless the traps are in an area or at a time of year when there is no activity (e.g. unheated warehouse in winter in colder climates). The tray must be emptied. Insects in the tray must be examined and categorized according to:

stored product insects

flies

occasional invaders

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

The technician should determine if the types and numbers of insects reveal a concern and if so, then the insect control program should be modified to address the issue.

Bulbs in ILTs must be changed according to manufacturer's recommendations but in any case at least annually. Shatter protection must be in place where food or packaging may become contaminated by glass.

Sticky type ILTs must be monitored at least monthly and the sticky board must be replaced. Type of insects on the board must be recorded and categorized according to above.

Sticky type traps including pheromone sticky traps or other flying insect traps must be monitored at least monthly and the sticky material must be replaced at each visit. Type of insects on the board must be recorded and categorized according to above.

The insect program must be reviewed by plant contact at least annually and adjustments must be made as necessary. Any services may not contaminate nor potentially contaminate food, food contact surfaces, or food packaging.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Standard Section: Pest Management Plan—Title: Birds and Wildlife—Standard Number: 2.8

Birds and wildlife can enter plants or plant areas and create contamination or potential contamination hazards.

In the course of the inspection, maintenance issues such as but not limited to holes in walls, pipe chases, bulk feed lines, spilled food items, or open doors/windows shall be noted. Recommendations shall be made to the plant to reduce chances of future infestation.

Bird Prevention/Control

Areas susceptible to infestation by birds shall be called to the attention of the plant contact. If the plant approves, bird prevention measures may be installed. These shall be any type of wire, net, device, or material to prevent roosting. No restricted use pesticides designed for scaring of birds may be used inside any structure where food is exposed. Any such product use shall be in areas inaccessible to non-target species and plant personnel.

Any interior bird removal shall be by trapping and removal in accordance with regulations. Exterior infestations such as geese on grounds may be controlled by scaring devices or repellents. Use must be in accordance with manufacturer's instructions. Use of protective gear shall be required for removal of nests and/or droppings

Plants should be encouraged to eliminate favorable conditions for bird infestation and observations by the technician shall be recorded in the log. Within the confines of the above, additional information on bird control may be found in the NPMA Pest Management Library, available through the NPMA Resource Center (www.pestworld.org).

Wildlife Prevention/Control

Areas susceptible to infestation by wildlife shall be called to the attention of the plant contact. If the plant approves, wildlife prevention measures may be installed. These shall be any type of wire, net, device, or material to prevent entry, nesting, and/or roosting. This is usually beyond the scope of the original contract and a separate contract should be developed.

Any miscellaneous animal removal shall be by trapping and removal in accordance with local regulations. Exterior infestations such as prairie dogs on grounds may be controlled by repellents or other method according to label or instructions. Use must be in accordance with manufacturer's instructions.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Plants should be encouraged to eliminate favorable conditions for wildlife infestation and observations by the technician shall be recorded in the log.

Within the confines of the above, additional information on wildlife biology and control may be found in the NPMA Pest Management Library.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

**Standard Section: Pest Management Plan—Title: Weed Control—Standard
Number: 2.9**

Vegetation should not be planted against the buildings (exterior). An inspection band and clear zone adjacent to the building should be encouraged as part of the periodic audit. If the company performs weed control, ideally a vegetation free clear zone should be maintained.

This item shall be checked as part of the normal audit process during pest management service regardless of whether the company performs weed control. Any vegetation around the building should be called to the attention of the plant contact for control in order to reduce the chances of infestation. Note: Certain types of vegetation/plantings may be more susceptible to pest harborage. These may be noted during the audit.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

**Standard Section: Pest Management Plan—Title: Pest Management Survey—
Standard Number: 2.10**

At least monthly, the pest management company shall perform a survey to look at infestation by pests and the potential for infestation. Building maintenance, employee practices, physical conditions of the plant, incoming materials, processing, and shipping shall be evaluated. Recommendations shall be presented to the plant contact including results of plant documents such as incoming materials inspection and pest sightings, and technician observations.

The NPMA form NPMA 38 or equivalent shall be used to record observations and recommendations and a copy shall be disclosed to and signed by the plant contact.

All NPMA 38 or equivalent forms shall have one copy submitted to plant contact, one copy shall be filed with the pest management records and a copy shall be kept by the pest management firm unless the forms are filed and maintained electronically.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

**Standard Section: Pest Management Plan—Title: Quality Assurance—Standard
Number: 2.11**

At least once per year, prior to the anniversary of the date on which the company began pest management services at the food plant, a supervisor, quality assurance staff person, or a manager shall review the entire program onsite. The QA audit shall look at the program, records, and frequency, as well as the monthly audits to make sure that all documentation is in order. In addition, labels and MSDS must be reviewed to make sure that all products used have current information. MSDS and labels must be filed either in hard copy or via electronic records.

Results of the quality assurance audit must be filed in the plant, with a copy in the pest management company office.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Standard Section: Pest Management Plan—Title: Annual Training—Standard Number: 2.12

At least once per year, the pest management company shall offer to conduct an educational program for plant personnel. Date, content, and list of those who attend must be kept in the plant pest management records.

The following staff should be encouraged to participate:

Management

Supervisory staff

Security

Mechanics

Production lead staff

Warehousing staff

Quality Assurance staff

Plant contact

Others determined by the plant management

While the plant ultimately makes the decision as to who may attend, the content shall include:

Review of the pest management program

Product flow

Vulnerable areas

Practices which may reduce pest pressures

Review of audits and monthly reports

How to record a pest sighting

Review of FDA, state, provincial, local, and third party audits and inspections.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Standard Section: Pest Management Plan—Title: Storage—Standard Number: 2.13

All pesticides for use in pest management shall be stored off site or in a locked and secured storage area with adequate spill control and safety equipment for all materials stored. All storage must be in compliance with government regulations as well as the policies of the food plant. Any storage requirements listed on the label must also be addressed. If storage is in a locked cabinet, all room requirements must be met. Fumigants shall not be stored onsite unless storage requirements of the label are met.

Records must be stored in a secured area.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Standard Section: Communications—Title: Reporting—Standard Number: 3.1

All records and documents may be retained electronically.

All documents in the pest management filing system must be available to the plant within a reasonable time. The plant has the option of requesting copies of all documents produced including service tickets for their files. The pest management company must keep a backup copy of all documents at the pest management company office. The pest management company shall not surrender any copies of materials to any official without the express written permission of the plant contact or their substitute. If there is a regulatory audit of the pest management such as the state department of agriculture or other pesticide enforcement agency, the pest management company may surrender documents to the agency if required.

While paper backup information may be permitted, official documentation and reporting listed in these standards shall be retained in the following manner:

Reporting shall provide access to all service data

Record recovery shall be available on demand with the ability to be sorted by product used, area, pest, date, time, and shift.

Trends shall be determined at the interval of service.

Data onsite may be gathered by handheld electronic devices or manually or a combination of these methods

Trends may be used to modify the pest management program based upon observations.

All inspections reports such as, but not limited to the NPMA 38, may be available online.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

**Standard Section: Recordkeeping and Contracts—Title: Contracts—Standard
Number: 4.1**

Prior to completing any work in a food plant, a signed contract must be in place unless specifically waived by the food plant and must include:

Name of Plant

Plant contact person

Frequency of visits

Description of services

Term of contract

Fee

Equipment storage and product storage specifications

Scope of emergency calls

Products which may be used

Service records to be issued to the plant

Requirement to notify plant of any new products used

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

**Standard Section: Recordkeeping and Contracts—Title: Labels and MSDS—
Standard Number: 4.2**

A copy of all EPA or PMRA (Canadian Pest Management Regulatory Authority) product labels and Material Safety Data Sheets for products used at the plant shall be maintained in the plant by the pest management company. This may also be filed electronically or web-based. A label and MSDS shall be added for any new products used.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

**Standard Section: Recordkeeping and Contracts—Title: Pest Sighting Log—
Standard Number: 4.3**

Each pest management company shall provide a Pest Sighting Log to be maintained in a plant office which may be the pest management area. The log shall include dates, times, locations, type of pest, action taken, and name of reporting employee. The log shall be reviewed by the technician at each visit and data shall be included in adjusting the pest management program as necessary. At the periodic training by the pest management company, the use of the log shall be discussed.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

**Standard Section: Recordkeeping and Contracts—Title: Licenses and Certificates—
Standard Number: 4.4**

Credentials to be maintained at the plant with the pest management records must include:

Copy of the certification or registration document, if issued in the plant jurisdiction, for each person who will perform pest management services in the plant

Copy of the pest management company license to operate issued by the state or provincial lead pesticide enforcement agency if issued by the state or province in the jurisdiction.

Copy of the insurance certificate

Copy of proof of successful completion of verifiable training and exam for each technician servicing the plant.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Standard Section: Recordkeeping and Contracts—Title: Service Protocols and Standard Operating Procedures—Standard Number: 4.5

Standard Operating Procedures shall be developed in partnership between the pest management company and the food plant. All scope of work information including methods of inspection and treatment must be documented and approved by the food plant. Protocols and procedures shall include at least the following:

Procedures for all current or anticipated pest management activities including inspections and audits

Pest sighting log

Pest activity records

Treatment Records (see 4.6 for minimum information required)

Trend reports

Plant layout with pest management activity information listed such as rodent stations, monitoring devices, etc.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

**Standard Section: Recordkeeping and Contracts—Title: Service and Treatment
Records—Standard Number: 4.6**

All service records for service including applications and/or monitoring shall include:

EPA or PMRA registration number

Product brand name

Target pest

Rate of application or % concentration

Time of application

Location or site of application

Amount of finished product used

Date

Lot number of product

Signature of technician

Signature of plant contact

Certification or registration number of technician

Emergency phone number

Notes and observations and any other records required by the state pest management enforcement agency

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

**Standard Section: National Organic Program—Title: Working in NOP Facilities—
Standard Number: 5.1**

The USDA National Organic Program is governed by Rule 205.271 and requires the handler or management of the organic facility to use management practices to prevent pests. While many of the physical prevention methods are beyond the scope of the pest management company, the NOP records will work with the pest management program to ensure that there is compliance with Rule 205.271. The NOP does not prevent the use of pest management methods or products; however, the NOP does require that pest prevention is done through mechanical or physical controls and/or natural or approved traps and repellents. If these measures fail to control the pests, the facility may use a natural (approved) substance and if that fails, then a synthetic substance may be used “provided that the handler and the certifying agent agree on the substance, method of application, and measures to be taken to prevent contact of the organically produced products or ingredients with the substance used.” The NOP requires full attention to IPM. The plant will have specialized rules governing pest management activities in the plant.

In addition to the standards in sections one through four, the NOP facilities will require the Standard Operating Procedures (SOPs) to prioritize pest management methods based on the information above. The company shall work with the facility to make sure that the procedures and SOPs comply with the plant SOPs regarding pest management. See federal government publications for more information.

Note: some organic facilities are audited by a certification group which may have approved methods or products. The plant should be consulted as to special requirements.

Procedures to ensure that the food will not be contaminated by any pest management method must be in place prior to beginning any service.

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

**Appendix A
Model Pest Management Inspection Report**

Inspector: _____ **Date:** _____

	Corrections		
	OK	Req'd	N/A
Exterior Areas (including roof areas)			
1. No evidence of pest activity			
2. No pest harborage areas			
3. Adequate trash handling			
4. Proper trash containers			
5. All trash contained			
6. Proper storage of waste paper and cardboard			
7. Pavement areas in good repair and properly drained			
8. Adequate weed control adjacent to building			
9. Adequate exterior rodent control program			
10. Adequate exterior insect control program			
11. No evidence of bird roosting			
12. Sufficient cleaning capabilities to prevent buildup of food which may attract pests (e.g. flour spills at railroad offloading, corn syrup spills from trucks, etc.)			
13. No evidence of plumbing or sewer leaks			
14. Screens and vents clean			
15. Open doors and windows screened			
16. Visible condensate lines clear and clean			

Interior Areas

1. Walls: Clean, proper materials, and in good repair
2. Floors: Clean, proper materials, and in good repair
3. Ceilings: Clean, proper materials, and in good repair
4. Elevator pits clean and dry
5. Floor drains clean with secured covers
6. Plumbing in good repair as related to pest potential
7. Visible condensate lines clear and no pooling of condensate
8. Other maintenance issues
9. No evidence of pest activity
10. Inspection aisles properly maintained
11. Other practices issues
12. Packaging material properly stored
13. Containers properly stored and clean
14. Damaged/returned good isolated
15. Equipment clean and pest free
16. Maintenance areas clean and no evidence of pests
17. Sanitation area clean and no evidence of pests; mops and tools stored off floor
18. Compliance with pest portion of GMPs
19. Pest management equipment clean and maintained (e.g. light traps, etc.)

Technician: _____ **Date:** _____

Comments:

Signature of Technician: _____

**2007 National Pest Management Association, Inc.
Pest Management Standards for Food Plants**

Appendix B

Food and Drug Administration, HHS § 110.3

Subpart D—Naturally Occurring Poisonous or Deleterious Substances

[Reserved]

**PART 110--CURRENT GOOD MANUFACTURING PRACTICE IN MANUFACTURING,
PACKING, OR HOLDING HUMAN FOOD--Table of Contents**

Subpart A—General Provisions

Sec. 110.3 Definitions.

110.5 Current good manufacturing practice.

110.10 Personnel.

110.19 Exclusions.

Subpart B—Buildings and Facilities

110.20 Plant and grounds.

110.35 Sanitary operations.

110.37 Sanitary facilities and controls.

Subpart C—Equipment

110.40 Equipment and utensils.

Subpart B [Reserved]

Subpart E—Production and Process Controls

110.80 Process and controls.

110.93 Warehousing and distribution

Subpart F [Reserved]

Subpart G—Defect Action Levels

110.110 Natural or unavoidable defects in food for human use that present no health hazard.

AUTHORITY: 21 U.S.C. 342, 371, 374; 42 U.S.C. 264

SOURCE: 51 FR 24475, June 19, 1986, unless otherwise noted.

Subpart A—General Provisions

§ 110.3 Definitions.

The definitions and interpretations of terms in section 201 of the Federal Food, Drug, and Cosmetic Act (the act) are applicable to such terms when used in this part. The following definitions shall also apply:

(a) *Acid foods or acidified foods* means foods that have an equilibrium pH of 4.6 or below.

(b) *Adequate* means that which is needed to accomplish the intended purpose in keeping with good public health practice.

(c) *Batter* means a semifluid substance, usually composed of flour and other ingredients, into which principal components of food are dipped or with which they are coated, or which may be used directly to form bakery foods.

(d) *Blanching*, except for tree nuts and peanuts, means a prepackaging heat treatment of foodstuffs for a sufficient time and at a sufficient temperature to partially or completely inactivate the naturally occurring enzymes and to effect other physical or biochemical changes in the food.

(e) *Critical control point* means a point in a food process where there is a high probability that improper control may cause, allow, or contribute to a hazard or to filth in the final food or decomposition of the final food.

(f) *Food* means food as defined in section 201(f) of the act and includes raw materials and ingredients.

(g) *Food-contact surfaces* are those surfaces that contact human food and those surfaces from which drainage onto the food or onto surfaces that contact the food ordinarily occurs during the normal course of operations. "Food-contact surfaces" includes utensils and food-contact surfaces of equipment.

(h) *Lot* means the food produced during a period of time indicated by a specific code.



2007 National Pest Management Association, Inc. Pest Management Standards for Food Plants

(i) *Microorganisms* means yeasts, molds, bacteria, and viruses and includes, but is not limited to, species having public health significance. The term "undesirable microorganisms" includes those microorganisms that are of public health significance, that subject food to decomposition, that indicate that food is contaminated with filth, or that otherwise may cause food to be adulterated within the meaning of the act. Occasionally in these regulations, FDA used the adjective "microbial" instead of using an adjectival phrase containing the word microorganism.

(j) *Pest* refers to any objectionable animals or insects including, but not limited to, birds, rodents, flies, and larvae.

21 CFR Ch. 1 (4-1-101 Edition) § 110.5

(k) *Plant* means the building or facility or parts thereof, used for or in connection with the manufacturing, packaging, labeling, or holding of human food.

(l) *Quality control operation* means a planned and systematic procedure for taking all actions necessary to prevent food from being adulterated within the meaning of the act.

(m) *Rework* means clean, unadulterated food that has been removed from processing for reasons other than insanitary conditions or that has been successfully reconditioned by reprocessing and that is suitable for use as food.

(n) *Safe-moisture level* is a level of moisture low enough to prevent the growth of undesirable microorganisms in the finished product under the intended conditions of manufacturing, storage, and distribution. The maximum safe moisture level for a food is based on its water activity (*aw*). An *aw* will be considered safe for a food if adequate data are available that demonstrate that the food at or below the given *aw* will not support the growth of undesirable microorganisms.

(o) *Sanitize* means to adequately treat food-contact surfaces by a process that is effective in destroying vegetative cells of microorganisms of public health significance, and in substantially reducing numbers of other undesirable microorganisms, but without adversely affecting the product or its safety for the consumer.

(p) *Shall* is used to state mandatory requirements.

(q) *Should* is used to state recommended or advisory procedures or identify recommended equipment.

(r) *Water activity* (*aw*) is a measure of the free moisture in a food and is the quotient of the water vapor pressure of the substance divided by the vapor pressure of pure water at the same temperature.

§ 110.5 Current good manufacturing practice

(a) The criteria and definitions in this part shall apply in determining whether a food is adulterated (1) within the meaning of section 402(a)(3) of the act in that the food has been manufactured under such conditions that it is unfit for food; or (2) within the meaning of section 402(a)(4) of the act in that the food has been prepared, packed, or held under insanitary conditions whereby it may have become contaminated with filth, or whereby it may have been rendered injurious to health. The criteria and definitions in this part also apply in determining whether a food is in violation of section 361 of the Public Health Service Act (42 U.S.C. 264).

(b) Food covered by specific current good manufacturing practice regulations also is subject to the requirements of those regulations.

§ 110.10 Personnel

The plant management shall take all reasonable measures and precautions to ensure the following:

(a) *Disease control*. Any person who, by medical examination or supervisory observation, is shown to have, or appears to have, an illness, open lesion, including boils, sores, or infected wounds, or any other abnormal source of microbial contamination by which there is a reasonable possibility of food, food-contact surfaces, or food-packaging materials becoming contaminated, shall be excluded from any operations which may be expected to result in such contamination until the condition is corrected. Personnel shall be instructed to report such health conditions to their supervisors.

2007 National Pest Management Association, Inc. Pest Management Standards for Food Plants

(b) *Cleanliness.* All persons working in direct contact with food, food-contact surfaces, and food-packaging materials shall conform to hygienic practices while on duty to the extent necessary to protect against contamination of food. The methods for maintaining cleanliness include, but are not limited to:

- (1) Wearing outer garments suitable to the operation in a manner that protects against the contamination of food, food-contact surfaces, or food-packaging materials.
- (2) Maintaining adequate personal cleanliness.
- (3) Washing hands thoroughly (and sanitizing if necessary to protect against contamination with undesirable microorganisms) in an adequate hand-washing facility before starting work, after each absence from the work

Food and Drug Administration, HHS § 110.20

station, and at any other time when the hands may have become soiled or contaminated.

(4) Removing all unsecured jewelry and other objects that might fall into food, equipment, or containers, and removing hand jewelry that cannot be adequately sanitized during periods in which food is manipulated by hand. If such hand jewelry cannot be removed, it may be covered by material which can be maintained in an intact, clean, and sanitary condition and which effectively protects against the contamination by these objects of the food, food-contact surfaces, or food-packaging materials.

(5) Maintaining gloves, if they are used in food handling, in an intact, clean, and sanitary condition. The gloves should be of an impermeable material.

(6) Wearing, where appropriate, in an effective manner, hair nets, headbands, caps, beard covers, or other effective hair restraints.

(7) Storing clothing or other personal belongings in areas other than where food is exposed or where equipment or utensils are washed.

(8) Confining the following to areas other than where food may be exposed or where equipment or utensils are washed: eating food, chewing gum, drinking beverages, or using tobacco.

(9) Taking any other necessary precautions to protect against contamination of food, food-contact surfaces, or food-packaging materials with microorganisms or foreign substances including, but not limited to, perspiration, hair, cosmetics, tobacco, chemicals, and medicines applied to the skin.

(c) *Education and training.* Personnel responsible for identifying sanitation failures or food contamination should have a background of education or experience, or a combination thereof, to provide a level of competency necessary for production of clean and safe food. Food handlers and supervisors should receive appropriate training in proper food handling techniques and food-protection principles and should be informed of the danger of poor personal hygiene and insanitary practices.

(d) *Supervision.* Responsibility for assuring compliance by all personnel with all requirements of this part shall be clearly assigned to competent supervisory personnel.

[51 FR 24475, June 19, 1986, as amended at 54 FR 24892, June 12, 1989]

§ 110.19 Exclusions.

(a) The following operations are not subject to this part: Establishments engaged solely in the harvesting, storage, or distribution of one or more "raw agricultural commodities," as defined in section 201(r) of the act, which are ordinarily cleaned, prepared, treated, or otherwise processed before being marketed to the consuming public.

(b) FDA, however, will issue special regulations if it is necessary to cover these excluded operations.

Subpart B—Buildings and Facilities

§ 110.20 Plant and grounds.

(a) *Grounds.* The grounds about a food plant under the control of the operator shall be kept in a condition that will protect against the contamination of food. The methods for adequate maintenance of grounds include, but are not limited to:

2007 National Pest Management Association, Inc. Pest Management Standards for Food Plants

(1) Properly storing equipment, removing litter and waste, and cutting weeds or grass within the immediate vicinity of the plant buildings or structures that may constitute an attractant, breeding place, or harborage for pests.

(2) Maintaining roads, yards, and parking lots so that they do not constitute a source of contamination in areas where food is exposed.

(3) Adequately draining areas that may contribute contamination to food by seepage, foot-borne filth, or providing a breeding place for pests.

(4) Operating systems for waste treatment and disposal in an adequate manner so that they do not constitute a source of contamination in areas where food is exposed.

If the plant grounds are bordered by grounds not under the operator's control and not maintained in the manner described in paragraph (a) (1) through (3) of this section, care shall be exercised in the plant by inspection, extermination, or other means to exclude pests, dirt, and filth that may be a source of food contamination.

21 CFR Ch. 1 (4—1—01 Edition) § 110.35

(b) *Plant construction and design.* Plant buildings and structures shall be suitable in size, construction, and design to facilitate maintenance and sanitary operations for food-manufacturing purposes. The plant and facilities shall:

(1) Provide sufficient space for such placement of equipment and storage of materials as is necessary for the maintenance of sanitary operations and the production of safe food.

(2) Permit the taking of proper precautions to reduce the potential for contamination of food, food-contact surfaces, or food-packaging materials with microorganisms, chemicals, filth, or other extraneous material. The potential for contamination may be reduced by adequate food safety controls and operating practices or effective design, including the separation of operations in which contamination is likely to occur, by one or more of the following means: location, time, partition, air flow, enclosed systems, or other effective means.

(3) Permit the taking of proper precautions to protect food in outdoor bulk fermentation vessels by any effective means, including:

(i) Using protective coverings.

(ii) Controlling areas over and around the vessels to eliminate harborage for pests.

(iii) Checking on a regular basis for pests and pest infestation.

(iv) Skimming the fermentation vessels, as necessary.

(4) Be constructed in such a manner that floors, walls, and ceilings may be adequately cleaned and kept clean and kept in good repair; that drip or condensate from fixtures, ducts and pipes does not contaminate food, food-contact surfaces, or food-packaging materials; and that aisles or working spaces are provided between equipment and walls and are adequately unobstructed and of adequate width to permit employees to perform their duties and to protect against contaminating food or food-contact surfaces with clothing or personal contact.

(5) Provide adequate lighting in hand-washing areas, dressing and locker rooms, and toilet rooms and in all areas where food is examined, processed, or stored and where equipment or utensils are cleaned; and provide safety-type light bulbs, fixtures, skylights, or other glass suspended over exposed food in any step of preparation or otherwise protect against food contamination in case of glass breakage.

(6) Provide adequate ventilation or control equipment to minimize odors and vapors (including steam and noxious fumes) in areas where they may contaminate food; and locate and operate fans and other air-blowing equipment in a manner that minimizes the potential for contaminating food, food-packaging materials, and food-contact surfaces.

(7) Provide, where necessary, adequate screening or other protection against pests.

§ 110.35 Sanitary operations.

(a) *General maintenance.* Buildings, fixtures, and other physical facilities of the plant shall be maintained in a sanitary condition and shall be kept in repair sufficient to prevent food from becoming adulterated within the meaning of the act. Cleaning and sanitizing of utensils and

2007 National Pest Management Association, Inc. Pest Management Standards for Food Plants

equipment shall be conducted in a manner that protects against contamination of food, food-contact surfaces, or food-packaging materials.

(b) *Substances used in cleaning and sanitizing; storage of toxic materials.* (1) Cleaning compounds and sanitizing agents used in cleaning and sanitizing procedures shall be free from undesirable microorganisms and shall be safe and adequate under the conditions of use. Compliance with this requirement may be verified by any effective means including purchase of these substances under a supplier's guarantee or certification, or examination of these substances for contamination. Only the following toxic materials may be used or stored in a plant where food is processed or exposed:

- (i) Those required to maintain clean and sanitary conditions;
- (ii) Those necessary for use in laboratory testing procedures;
- (iii) Those necessary for plant and equipment maintenance and operation; and
- (iv) Those necessary for use in the plant's operations.

Food and Drug Administration, HHS § 110.37

(2) Toxic cleaning compounds, sanitizing agents, and pesticide chemicals shall be identified, held, and stored in a manner that protects against contamination of food, food-contact surfaces, or food-packaging materials. All relevant regulations promulgated by other Federal, State, and local government agencies for the application, use, or holding of these products should be followed.

(c) *Pest control.* No pests shall be allowed in any area of a food plant. Guard or guide dogs may be allowed in some areas of a plant if the presence of the dogs is unlikely to result in contamination of food, food-contact surfaces, or food-packaging materials. Effective measures shall be taken to exclude pests from the processing areas and to protect against the contamination of food on the premises by pests. The use of insecticides or rodenticides is permitted only under precautions and restrictions that will protect against the contamination of food, food-contact surfaces, and food-packaging materials.

(d) *Sanitation of food-contact surfaces.* All food-contact surfaces, including utensils and food-contact surfaces of equipment, shall be cleaned as frequently as necessary to protect against contamination of food.

(1) Food-contact surfaces used for manufacturing or holding low-moisture food shall be in a dry, sanitary condition at the time of use. When the surfaces are wet-cleaned, they shall, when necessary, be sanitized and thoroughly dried before subsequent use.

(2) In wet processing, when cleaning is necessary to protect against the introduction of microorganisms into food, all food-contact surfaces shall be cleaned and sanitized before use and after any interruption during which the food-contact surfaces may have become contaminated. Where equipment and utensils are used in a continuous production operation, the utensils and food-contact surfaces of the equipment shall be cleaned and sanitized as necessary.

(3) Non-food-contact surfaces of equipment used in the operation of food plants should be cleaned as frequently as necessary to protect against contamination of food.

(4) Single-service articles (such as utensils intended for one-time use, paper cups, and paper towels) should be stored in appropriate containers and shall be handled, dispensed, used, and disposed of in a manner that protects against contamination of food or food-contact surfaces.

(5) Sanitizing agents shall be adequate and safe under conditions of use. Any facility, procedure, or machine is acceptable for cleaning and sanitizing equipment and utensils if it is established that the facility, procedure, or machine will routinely render equipment and utensils clean and provide adequate cleaning and sanitizing treatment.

(e) *Storage and handling of cleaned portable equipment and utensils.* Cleaned and sanitized portable equipment with food-contact surfaces and utensils should be stored in a location and manner that protects food-contact surfaces from contamination.

[51 FR 24475, June 19, 1986, as amended at 54 FR 24892, June 12, 1989]

§ 110.37 Sanitary facilities and controls.

Each plant shall be equipped with adequate sanitary facilities and accommodations including, but not limited to:

2007 National Pest Management Association, Inc. Pest Management Standards for Food Plants

(a) *Water supply.* The water supply shall be sufficient for the operations intended and shall be derived from an adequate source. Any water that contacts food or food-contact surfaces shall be safe and of adequate sanitary quality. Running water at a suitable temperature, and under pressure as needed, shall be provided in all areas where required for the processing of food, for the cleaning of equipment, utensils, and food-packaging materials, or for employee sanitary facilities.

(b) *Plumbing.* Plumbing shall be of adequate size and design and adequately installed and maintained to:

- (1) Carry sufficient quantities of water to required locations throughout the plant.
- (2) Properly convey sewage and liquid disposable waste from the plant.
- (3) Avoid constituting a source of contamination to food, water supplies, equipment, or utensils or creating an unsanitary condition.

21 CFR Ch. 1 (4—1—01 Edition) § 110.40

(4) Provide adequate floor drainage in all areas where floors are subject to flooding-type cleaning or where normal operations release or discharge water or other liquid waste on the floor.

(5) Provide that there is not backflow from, or cross-connection between, piping systems that discharge waste water or sewage and piping systems that carry water for food or food manufacturing.

(c) *Sewage disposal.* Sewage disposal shall be made into an adequate sewerage system or disposed of through other adequate means.

(d) *Toilet facilities.* Each plant shall provide its employees with adequate, readily accessible toilet facilities. Compliance with this requirement may be accomplished by:

- (1) Maintaining the facilities in a sanitary condition.
- (2) Keeping the facilities in good repair at all times.
- (3) Providing self-closing doors.
- (4) Providing doors that do not open into areas where food is exposed to airborne contamination, except where alternate means have been taken to protect against such contamination (such as double doors or positive air-flow systems).

(e) *Hand-washing facilities.* Hand-washing facilities shall be adequate and convenient and be furnished with running water at a suitable temperature. Compliance with this requirement may be accomplished by providing:

- (1) Hand-washing and, where appropriate, hand-sanitizing facilities at each location in the plant where good sanitary practices require employees to wash and/or sanitize their hands.
- (2) Effective hand-cleaning and sanitizing preparations.
- (3) Sanitary towel service or suitable drying devices.
- (4) Devices or fixtures, such as water control valves, so designed and constructed to protect against recontamination of clean, sanitized hands.
- (5) Readily understandable signs directing employees handling unprotected food, unprotected food-packaging materials, of food-contact surfaces to wash and, where appropriate, sanitize their hands before they start work, after each absence from post of duty, and when their hands may have become soiled or contaminated. These signs may be posted in the processing room(s) and in all other areas where employees may handle such food, materials, or surfaces.

(6) Refuse receptacles that are constructed and maintained in a manner that protects against contamination of food.

(f) *Rubbish and offal disposal.* Rubbish and any offal shall be so conveyed, stored, and disposed of as to minimize the development of odor, minimize the potential for the waste becoming an attractant and harborage or breeding place for pests, and protect against contamination of food, food-contact surfaces, water supplies, and ground surfaces.

2007 National Pest Management Association, Inc. Pest Management Standards for Food Plants

Subpart C—Equipment

§ 110.40 Equipment and utensils.

(a) All plant equipment and utensils shall be so designed and of such material and workmanship as to be adequately cleanable, and shall be properly maintained. The design, construction, and use of equipment and utensils shall preclude the adulteration of food with lubricants, fuel, metal fragments, contaminated water, or any other contaminants. All equipment should be so installed and maintained as to facilitate the cleaning of the equipment and of all adjacent spaces. Food-contact surfaces shall be corrosion-resistant when in contact with food. They shall be made of nontoxic materials and designed to withstand the environment of their intended use and the action of food, and, if applicable, cleaning compounds and sanitizing agents. Food-contact surfaces shall be maintained to protect food from being contaminated by any source, including unlawful indirect food additives.

(b) Seams on food-contact surfaces shall be smoothly bonded or maintained so as to minimize accumulation of food particles, dirt, and organic matter and thus minimize the opportunity for growth of microorganisms.

(c) Equipment that is in the manufacturing or food-handling area and that does not come into contact with food shall be so constructed that it can be kept in a clean condition.

Food and Drug Administration, HHS § 110.80

(d) Holding, conveying, and manufacturing systems, including gravimetric, pneumatic, closed, and automated systems, shall be of a design and construction that enables them to be maintained in an appropriate sanitary condition.

(e) Each freezer and cold storage compartment used to store and hold food capable of supporting growth of microorganisms shall be fitted with an indicating thermometer, temperature-measuring device, or temperature-recording device so installed as to show the temperature accurately within the compartment, and should be fitted with an automatic control for regulating temperature or with an automatic alarm system to indicate a significant temperature change in a manual operation.

(f) Instruments and controls used for measuring, regulating, or recording temperatures, pH, acidity, water activity, or other conditions that control or prevent the growth of undesirable microorganisms in food shall be accurate and adequately maintained, and adequate in number for their designated uses.

(g) Compressed air or other gases mechanically introduced into food or used to clean food-contact surfaces or equipment shall be treated in such a way that food is not contaminated with unlawful indirect food additives.

Subpart D [Reserved]

Subpart E—Production and Process Controls

§ 110.80 Processes and controls.

All operations in the receiving, inspecting, transporting, segregating, preparing, manufacturing, packaging, and storing of food shall be conducted in accordance with adequate sanitation principles. Appropriate quality control operations shall be employed to ensure that food is suitable for human consumption and that food-packaging materials are safe and suitable. Overall sanitation of the plant shall be under the supervision of one or more competent individuals assigned responsibility for this function. All reasonable precautions shall be taken to ensure that production procedures do not contribute contamination from any source. Chemical, microbial, or extraneous-material testing procedures shall be used where necessary to identify sanitation failures or possible food contamination. All food that has become contaminated to the extent that it is adulterated within the meaning of the act shall be rejected, or if permissible, treated or processed to eliminate the contamination.

(a) *Raw materials and other ingredients.* (1) Raw materials and other ingredients shall be inspected and segregated or otherwise handled as necessary to ascertain that they are clean and suitable for processing into food and shall be stored under conditions that will protect against contamination and minimize deterioration. Raw materials shall be washed or cleaned as

2007 National Pest Management Association, Inc. Pest Management Standards for Food Plants

necessary to remove soil or other contamination. Water used for washing, rinsing, or conveying food shall be safe and of adequate sanitary quality. Water may be reused for washing, rinsing, or conveying food if it does not increase the level of contamination of the food. Containers and carriers of raw materials should be inspected on receipt to ensure that their condition has not contributed to the contamination or deterioration of food.

(2) Raw materials and other ingredients shall either not contain levels of microorganisms that may produce food poisoning or other disease in humans, or they shall be pasteurized or otherwise treated during manufacturing operations so that they no longer contain levels that would cause the product to be adulterated within the meaning of the act. Compliance with this requirement may be verified by any effective means, including purchasing raw materials and other ingredients under a supplier's guarantee or certification.

(3) Raw materials and other ingredients susceptible to contamination with aflatoxin or other natural toxins shall comply with current Food and Drug Administration regulations and action levels for poisonous or deleterious substances before these materials or ingredients are incorporated into finished food. Compliance with this requirement may be accomplished by purchasing raw materials and other ingredients under a supplier's guarantee or

21 CFR Ch. 1 (4—1—01 Edition) § 110.80

certification, or may be verified by analyzing these materials and ingredients for aflatoxins and other natural toxins.

(4) Raw materials, other ingredients, and rework susceptible to contamination with pests, undesirable microorganisms, or extraneous material shall comply with applicable Food and Drug Administration regulations and defect action levels for natural or unavoidable defects if a manufacturer wishes to use the materials in manufacturing food. Compliance with this requirement may be verified by any effective means, including purchasing the materials under a supplier's guarantee or certification, or examination of these materials for contamination.

(5) Raw materials, other ingredients, and rework shall be held in bulk, or in containers designed and constructed so as to protect against contamination and shall be held at such temperature and relative humidity and in such a manner as to prevent the food from becoming adulterated within the meaning of the act. Material scheduled for rework shall be identified as such.

(6) Frozen raw materials and other ingredients shall be kept frozen. If thawing is required prior to use, it shall be done in a manner that prevents the raw materials and other ingredients from becoming adulterated within the meaning of the act.

(7) Liquid or dry raw materials and other ingredients received and stored in bulk form shall be held in a manner that protects against contamination.

(b) *Manufacturing operations.* (1) Equipment and utensils and finished food containers shall be maintained in an acceptable condition through appropriate cleaning and sanitizing, as necessary. Insofar as necessary, equipment shall be taken apart for thorough cleaning.

(2) All food manufacturing, including packaging and storage, shall be conducted under such conditions and controls as are necessary to minimize the potential for the growth of microorganisms, or for the contamination of food. One way to comply with this requirement is careful monitoring of physical factors such as time, temperature, humidity, aw, pH, pressure, flow rate, and manufacturing operations such as freezing, dehydration, heat processing, acidification, and refrigeration to ensure that mechanical breakdowns, time delays, temperature fluctuations, and other factors do not contribute to the decomposition or contamination of food.

(3) Food that can support the rapid growth of undesirable microorganisms, particularly those of public health significance, shall be held in a manner that prevents the food from becoming adulterated within the meaning of the act. Compliance with this requirement may be accomplished by any effective means, including:

(i) Maintaining refrigerated foods at 45 deg.F (7.2 deg.C) or below as appropriate for the particular food involved.

(ii) Maintaining frozen foods in a frozen state.

2007 National Pest Management Association, Inc. Pest Management Standards for Food Plants

- (iii) Maintaining hot foods at 140 deg. F (60 deg. C) or above.
- (iv) Heat treating acid or acidified foods to destroy mesophilic microorganisms when those foods are to be held in hermetically sealed containers at ambient temperatures.
- (4) Measures such as sterilizing, irradiating, pasteurizing, freezing, refrigerating, controlling pH or controlling aw that are taken to destroy or prevent the growth of undesirable microorganisms, particularly those of public health significance, shall be adequate under the conditions of manufacture, handling, and distribution to prevent food from being adulterated within the meaning of the act.
- (5) Work-in-process shall be handled in a manner that protects against contamination.
- (6) Effective measures shall be taken to protect finished food from contamination by raw materials, other ingredients, or refuse. When raw materials, other ingredients, or refuse are unprotected, they shall not be handled simultaneously in a receiving, loading, or shipping area if that handling could result in contaminated food. Food transported by conveyor shall be protected against contamination as necessary.
- (7) Equipment, containers, and utensils used to convey, hold, or store raw materials, work-in-process, rework, or food shall be constructed, handled, and maintained during manufacturing or

Food and Drug Administration, HHS § 110.80

storage in a manner that protects against contamination.

- (8) Effective measures shall be taken to protect against the inclusion of metal or other extraneous material in food. Compliance with this requirement may be accomplished by using sieves, traps, magnets, electronic metal detectors, or other suitable effective means.
- (9) Food, raw materials, and other ingredients that are adulterated within the meaning of the act shall be disposed of in a manner that protects against the contamination of other food. If the adulterated food is capable of being reconditioned, it shall be reconditioned using a method that has been proven to be effective or it shall be reexamined and found not to be adulterated within the meaning of the act before being incorporated into other food.
- (10) Mechanical manufacturing steps such as washing, peeling, trimming, cutting, sorting and inspecting, mashing, dewatering, cooling, shredding, extruding, drying, whipping, defatting, and forming shall be performed so as to protect food against contamination. Compliance with this requirement may be accomplished by providing adequate physical protection of food from contaminants that may drip, drain, or be drawn into the food. Protection may be provided by adequate cleaning and sanitizing of all food-contact surfaces, and by using time and temperature controls at and between each manufacturing step.
- (11) Heat blanching, when required in the preparation of food, should be effected by heating the food to the required temperature, holding it at this temperature for the required time, and then either rapidly cooling the food or passing it to subsequent manufacturing without delay. Thermophilic growth and contamination in blanchers should be minimized by the use of adequate operating temperatures and by periodic cleaning. Where the blanched food is washed prior to filling, water used shall be safe and of adequate sanitary quality.
- (12) Batters, breadings, sauces, gravies, dressings, and other similar preparations shall be treated or maintained in such a manner that they are protected against contamination. Compliance with this requirement may be accomplished by any effective means, including one or more of the following:
 - (i) Using ingredients free of contamination.
 - (ii) Employing adequate heat processes where applicable.
 - (iii) Using adequate time and temperature controls.
 - (iv) Providing adequate physical protection of components from contaminants that may drip, drain, or be drawn into them.
 - (v) Cooling to an adequate temperature during manufacturing.
 - (vi) Disposing of batters at appropriate intervals to protect against the growth of microorganisms.

2007 National Pest Management Association, Inc. Pest Management Standards for Food Plants

(13) Filling, assembling, packaging, and other operations shall be performed in such a way that the food is protected against contamination. Compliance with this requirement may be accomplished by any effective means, including:

- (i) Use of a quality control operation in which the critical control points are identified and controlled during manufacturing.
- (ii) Adequate cleaning and sanitizing of all food-contact surfaces and food containers.
- (iii) Using materials for food containers and food- packaging materials that are safe and suitable, as defined in Sec. 130.3(d) of this chapter.
- (iv) Providing physical protection from contamination, particularly airborne contamination.
- (v) Using sanitary handling procedures.

(14) Food such as, but not limited to, dry mixes, nuts, intermediate moisture food, and dehydrated food, that relies on the control of aw for preventing the growth of undesirable microorganisms shall be processed to and maintained at a safe moisture level. Compliance with this requirement may be accomplished by any effective means, including employment of one or more of the following practices:

- (i) Monitoring the aw of food.
- (ii) Controlling the soluble solids-water ratio in finished food.
- (iii) Protecting finished food from moisture pickup, by use of a moisture barrier or by other means, so that the

21 CFR Ch. 1 (4—1—01 Edition) § 110.93

aw of the food does not increase to an unsafe level.

(15) Food such as, but not limited to, acid and acidified food, that relies principally on the control of pH for preventing the growth of undesirable microorganisms shall be monitored and maintained at a pH of 4.6 or below. Compliance with this requirement may be accomplished by any effective means, including employment of one or more of the following practices:

- (i) Monitoring the pH of raw materials, food in process, and finished food.
- (ii) Controlling the amount of acid or acidified food added to low-acid food.

(16) When ice is used in contact with food, it shall be made from water that is safe and of adequate sanitary quality, and shall be used only if it has been manufactured in accordance with current good manufacturing practice as outlined in this part.

(17) Food-manufacturing areas and equipment used for manufacturing human food should not be used to manufacture nonhuman food-grade animal feed or inedible products, unless there is no reasonable possibility for the contamination of the human food.

[51 FR 24475, June 19, 1986, as amended at 65 FR 56479, Sept. 19, 2000]

§ 110.93 Warehousing and distribution.

Storage and transportation of finished food shall be under conditions that will protect food against physical, chemical, and microbial contamination as well as against deterioration of the food and the container.

Subpart F [Reserved]

Subpart G—Defect Action Levels

§ 110.110 Natural or unavoidable defects in food for human use that present no health hazard.

(a) Some foods, even when produced under current good manufacturing practice, contain natural or unavoidable defects that at low levels are not hazardous to health. The Food and Drug Administration establishes maximum levels for these defects in foods produced under current good manufacturing practice and uses these levels in deciding whether to recommend regulatory action.

(b) Defect action levels are established for foods whenever it is necessary and feasible to do so. These levels are subject to change upon the development of new technology or the availability of new information.

(c) Compliance with defect action levels does not excuse violation of the requirement in section 402(a)(4) of the act that food not be prepared, packed, or held under unsanitary conditions or the requirements in this part that food manufacturers, distributors, and holders shall observe current

2007 National Pest Management Association, Inc. Pest Management Standards for Food Plants

good manufacturing practice. Evidence indicating that such a violation exists causes the food to be adulterated within the meaning of the act, even though the amounts of natural or unavoidable defects are lower than the currently established defect action levels. The manufacturer, distributor, and holder of food shall at all times utilize quality control operations that reduce natural or unavoidable defects to the lowest level currently feasible.

(d) The mixing of a food containing defects above the current defect action level with another lot of food is not permitted and renders the final food adulterated within the meaning of the act, regardless of the defect level of the final food.

(e) A compilation of the current defect action levels for natural or unavoidable defects in food for human use that present no health hazard may be obtained upon request from the Center for Food Safety and Applied Nutrition (HFS-565), Food and Drug Administration, 5100 Paint Branch Pkwy., College Park, MD 20740.

[51 FR 24475, June 19, 1986, as amended at 61 FR 14480, Apr. 2, 1996; 66 FR 56035, Nov. 6, 2001]

PART 111— CURRENT GOOD MANUFACTURING PRACTICE FOR DIETARY SUPPLEMENTS

AUTHORITY: 21 U.S.C. 321, 342, 371.

SOURCE: 62 FR 2249, Jan. 15, 1997, unless otherwise noted.

This electronic document was downloaded from the GPO web site, May 2004, and is provided for information purposes only. The Code of Federal Regulations, Title 21, is updated each year in early summer. The most current version of the regulations may be found at the [GPO web site](#) or from the current [printed version](#).
